



## **AIR 100**

USB Speakerphone

## **Applications:** Huddle room











4 MIC ARRAY

**FULL DUPLEX** 

3.5MM OUT USB PLUG & PLAY





## AIR 100 SPECIFICATION



Connectivity	USB & Aux
Speaker Volume	Instantaneous Maximum 95 dB, 16 Level Adjustable
Speaker Frequency Response	100Hz ~ 8KHz
SNR	<u>&gt;</u> 65dB
Mic	4 Mic Array
Mic Frequency Response	100Hz ~ 22KHz
DSP Technology	Yes, Professional High Performance Chip
Full Duplex Noise Compression	<u>&gt;</u> 18dp
HD Audio Sampling Rate	16KHz
Audio Technical Parameters	Auto Echo Cancellation (AEC) > 65dB Noise Reduction, Dual Noise Cancelling Microphones Bi-directional Noise compression (NC) < 25dB
	Automatic Direction Finding Technology of
	Intelligent Microphone
	Automatic Gain Control (AGC)
Power Supply	USB Power Supply
Battery Capacity	2000mAH
Time of Endurance	Upto 8 Hrs
Working Temperature	0°c-50°c
Environment Requirement	Temperature: 0 to 44 C Humidity: 20 to 85%
Dimension	128mm x 128mm x 37mm (LxWxH)
Weight	250g
vveigiit	2308
Support OS	Windows 10, 8, 7 , Mac os 10, 12 & Above

+91 452 4392222

■ sales@atnetindia.net

www.atnetindia.net