



# Barbed Wire

MASTER CATALOGUE





## A Tradition of Quality, Service & Excellence

Founded on the unyielding principle of "Customer First", Nitin wire Group takes pride in being positioned as a leader in the fencing industry. Specializing in the manufacture, sale and installation of a wide variety of fencing and related products, we are dedicated to exceeding expectations on quality, price, and schedule.

Our vast experience and knowledge of being in the industry for nearly 5 decades, gives us the confidence of delivering exceptional fencing solutions to any of your domestic, commercial and industrial fencing needs.

Built on reliability, workmanship, professionality, and integrity, we aim to provide a seamless service to ensure the smoothest finish to your valuable assets. Be it serving a customer for the first time or multiple times, we at Nitin Wire Group, strive to maintain excellent service in upholding our dependable reputation.







Securing 30,000+ Kilometer of Land with Our Nitin Barbed Wire




Barbed wire fencing is one of the oldest forms of fencing, yet the most trusted option for agricultural lands, residential apartments and commercial spaces, due to value for money and return on investment.


## **NITIN WIRE GROUP**


(O): +91 44 25324615 | 25321159 | (M): + 91 9840305070 (E): sales@nitinwiregroup.com | (W): www.nitinwiregroup.com

No. 89 & 92 E.V.K. Sampath Road, Vepery, Chennai- 600 007. Manufacturing Unit: Manamai, ECR, Tamil Nadu. Warehouse 1: Madhavaram, Chennai.

Warehouse 2: Manamai, ECR, Tamil Nadu.







STRAIGHT PATTERN

**CROSS PATTERN** 

**BOX PATTERN** 

### **Product Description & Specifications:**

- Our barbed wire is manufactured with highest class of hot-dip galvanizing wire with best-in-class automatic machinery resulting in extreme durability and weather resistance for any terrain.
- Our barbed wire adheres to strict quality parameters and match as per IS278 Indian Standards, making us the best quality barbed wire manufactures in India.
- Standard specification of 2 Strands 4 Barbs, Standard barb spacing of 75mm (Can be customized to client requirement)

Wire size mm (gauge)	Standard weight per bundle (kg)	Standard length per bundle (feet)
2.50 x 2.50 (12 G x 12 G)	35	770
2.50 x 2.50 (12 G x 14 G)	40	1100
2.20 x 2.20 (13 G x 13 G)	35	1100

- Best in-class production technology leading to Sharper barbs for High Security.
- We have categorized our barbed wire fencing range according to the life expectancy which is proportional to quality of fence.



Premium (High Life) Standard (Average Life) Commercial (Low Life)

### **Barbed Wire Applications:**



& Farming



Manufacturing Unit



& Real estates



Warehouse

## **NITIN WIRE GROUP**

No. 89 & 92 E.V.K. Sampath Road, Vepery, Chennai-07 Manufacturing Unit: Manamai, ECR, Tamil Nadu. Warehouse 1: Madhavaram, Chennai. Warehouse 2: Manamai, ECR, Tamil Nadu.


























www.nitinwiregroup.com







**f o ▶** / Nitin Wire Group



Office: No.89 & 92 E.V.K. Sampath Road, Vepery, Chennai - 600 007, TN



Warehouse located: Madhavaram, Chennai Manamai, ECR, TN



Portblair



Manufacturing Unit: Manamai, ECR, TN. Hyderabad



+91 44 25324615 +91 44 25321159 +91 44 26414960



sales@nitinwiregroup.com