



Welcome

To the world of Corrosion Resistant High Grade
AISI 316 / 304 Stainless Steel Architectural Products

Know the Company :

CLICK HERE



Kich Corporate Movie

Kich Architectural Products Pvt. Ltd. is Rajkot based India's leading manufacturer in the Premium segment of **Architectural Hardware, Glass Fittings, Furniture Fittings, Bathroom Accessories, Railing Systems & Digital Solution**. With a vision to deliver superior quality and long lasting durability in Architectural Products category, **Kich was established as an export oriented unit in the year 1992**. Although having a very humble beginning, Kich grew at a very fast pace due to unmatched quality and unique craftsmanship of its products.

Since inception, Kich has always fulfilled global quality parameters. Kich Architectural Products are the epitome of enduring strength, stunning aesthetics, unique designs and impeccable functionality. With a vast **network of more than 75+ exclusive product galleries, 2 application centers, 850+ dealers and a team of more than 125+ marketing executives across the country**, Kich has always been able to deliver uncompromised pre and post sales service support to its customers. **Besides being well-rooted in India, Kich export to more than 41+ countries.**

With the splendid guidance of its founder Shri Chimanbhai Hapani and under the dynamic leadership of his three sons Mr. Bharat Hapani (Managing Director), Mr. Nitin Hapani (Director: Manufacturing) and Mr. Dinesh Hapani (Director: Export), Kich has always been able to achieve extraordinary progress with customer delight.

To suit its production objectives, **Kich operates from a state-of-the-art manufacturing facility which spreads in more than 3,50,000+ sq. ft. area in Rajkot. Due to an in-house Design Studio, Tool Room, R&D Division and Product Testing Facility, Kich has succeeded in consistency of product performance. Kich also has multi-facility Corporate House spread across more than 40,000+ sq. ft. area which is rewarded with LEED India New Construction (NC) GOLD Rating by Indian Green Building Council (IGBC). This Corporate House empowers Kich to manage its entire Pre and Post sales service network with a great ease.**

Management Team



Shri Chimanbhai Hapani
Chairman & Founder



Mr. Bharat Hapani
Managing Director




Mr. Nitin Hapani
Production Director



Mr. Dinesh Hapani
Export Director

KICH Export Products to more than 42 Countries



Hardware Products | Glass Fittings | Furniture Fittings | Bathroom Accessories | Handrail & Baluster Systems



What Makes Us Unique...

The first and only winner of **National Award** for Best Quality in Hardware Category



Hardware Products | Glass Fittings | Furniture Fittings | Bathroom Accessories | Handrail & Baluster Systems

KIGH[®]
STEEL... FOR LIFE

What Makes Us Unique...

Today, Kich Operates from a State-of-the-art manufacturing unit spread across 3,50,000 Sq. Ft. Units Area

4 Manufacturing Plants in India



40,000+ Sq. ft. Multi-facility

Corporate House



Made in
India



32 Years
Experience



Exports to 42
Countries



In house R&D
Division



13+
National &
International Awards



1500+ Corporate
Clients



6000+
Products

Hardware Products | Glass Fittings | Furniture Fittings | Bathroom Accessories | Handrail & Baluster Systems

KICH[®]
STEEL... FOR LIFE

Advance Machineries for Precision & Quality

Water Jet Cutting Machine



Pipe Bending Machine



Auto Hinge Machine



Advanced VMC Machine



Advanced CMC Machine



Auto Round Pipe Polishing Machine



CLICK HERE 

[List of Machineries](#)

Hardware Products | Glass Fittings | Furniture Fittings | Bathroom Accessories | Handrail & Baluster Systems

KIGH[®]
STEEL... FOR LIFE

Latest Machineries for Precision & Quality

Hi-tech laser sheet cutting machine



CLICK HERE 

[Laser Pipe Cutting Process Video](#)

CLICK HERE 

[Laser Sheet Cutting Process Video](#)

CLICK HERE 

[Bending Process \(5 Bends\) Video](#)

CLICK HERE 

[Form Drilling Process Video](#)

Hi-tech laser Pipe cutting machine



CLICK HERE 

[Pipe Automatic Buffing Process Video](#)

CLICK HERE 

[Welding Process Video](#)

CLICK HERE 

[Pipe Grinding Process Video](#)

Product Test & Product Life Cycle Test

Mortice Handles Life Cycle Test



Mortice Lock Life Cycle Test



Pull Handle Tensile Strength Testing




Hinges Life Cycle Test




Corrosion Salt Spray Test



Railing Impact Test





Quality & Durability

test report

Bodycote

Title:
Fire resistance performance
of a two specimens of single-
acting, single-leaf doors
incorporating building hardware
in accordance with BS EN
1634-1: 2000

Report No:
160267 Issue 2



Prepared for:
Kick Marketing PVT Ltd
Yogeshwar Main Road,
Akola,
Dhobar Road (South),
Rajkot-360 002
Gujarat,
India.

Date: 27th September 2007

Notified Body No:
0833


0249

 **warringtonfire**
global safety



Test Quality Assured

CERTIFICATE OF CONSTANCY OF PERFORMANCE

09005-CPR-220979-01

In compliance with Regulation (EU) No 385/2013 of the European Parliament and of the Council of 9 March 2013 (the Construction Products Regulation or CPR), this certificate applies to the construction product(s)

Product(s):	Building hardware - Controlled door-closing devices - Requirements and test methods (see 1) objectives achieved by the manufacturer (see 2)) conditionally
Placed on the market under the name or trade mark of:	KCH Appliances Products Pte. Ltd. S. No. 10, Emerald Square Industrial Estate, R/S, Shenton Park, KOHAY Road, SINGAPORE (Singapore), SG 57462
and produced in the manufacturing plant(s):	
Intended use:	On fire and smoke compartmentation doors to fulfil the self-closing requirements of such doors (This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard)

EN 1418:1996+A1:2004/A2:2008

Under clause 1, of the performance set out in this certificate we applied and find that the performance of the construction product fulfils all the prescribed requirements for this performance.

This certificate was first issued on 2024-08-30 and will remain valid as long as the test methods and/or factory production control requirements included in the technical specification used to assess the performance of the declared average characteristic values do not change and if, during its validity, and the manufacturing conditions in the plant are not modified significantly, and no significant withdrawal from the product certification body.

The issued document and supporting letter must reference only to a presentation of conformity in accordance with the CPR (Regulation: EU 385/2013) (as amended). However, it is the manufacturer's own authorized representative who, reasonably at his or her sole risk and liability, shall ensure full compliance and conformity to all other European regulatory directives and regulations that may be required.

	Date: 2024-08-30
Signature:	Issue: 01
Name:	Position: Certification Manager

Dip.-Ing. Bernhard Mühlbach

intertek.deutschland GmbH, Straßburger Str. 107/11 Landshut-Eckardingen
Tel.: +49 731 72121-0 E-Mail: info@intertek.com Web: www.intertek.de/directory

This document contains confidential information and is intended solely for the individual named above. It is not to be distributed outside the company named above nor to be reproduced without written permission from Intertek Testing Technology Limited. If you have received this document in error please contact your local Intertek office immediately. This document is the property of Intertek Testing Technology Limited and remains the property of Intertek even after delivery to the customer. All rights reserved. © Intertek Testing Technology Limited 2024

[illegible]



SPECTRO
Analytical Labs Limited
CIN:U72900GJ199999

TEST REPORT

Form No: SALLON/TR/001N
Rev: 00/01, Date: 01/01/2020
Page 1 of 4

Test Report Issued To:

KICH ARCHITECTURAL PRODUCTS PVT LTD

GOINDAL ROAD,NH-46
VIAK,
RAIKOT, GUJARAT,INDIA

Test Report No:

0321012025703210120307-10

Date of Issue:

05-Jan-2021



Sample Receipt/Issued Date: 03-Jan-2021

Date of Start of Testing: 03-Jan-2021

Date of Completion of Test: 04-Jan-2021

Customer Relationship Number

62572

Sample Description :

METAL FIRE DOOR WITH DIFFERENT TYPE OF HARDWARE
(DOOR HANDLE)



Customer Reference No.:

Partial Report

Anal. Submitter : MR. ANIL VASANI
E-Mail: anil@techlabs.com

Order No: 03270170308

Sample Condition : GOOD

Sample Size (Approx) : -

Sample Quantity (Approx) : -

SAMPLE NOT DRAWN BY OUR LABORATORY. THE RESULTS RELATE ONLY TO THE TESTED



Report Issued By:

Authenticity of report can be verified by mail at anil@techlabs.com
This is a Digital Signed Report and hence doesn't require Physical Signature.

Spectro Analytical Labs Limited | S-1, GROUND Floor, Sindhar Industrial Area, Phase-V, Vasar, Gandhinagar-381038 (India)

Phone : +91-926-2041252,2041251 | URL : www.spectro.in | Email : anil@techlabs.com

Product Segment

[CLICK HERE](#) 

[Kich Master Catalogue:](#)



Hardware Products



Glass Fittings



Furniture Fittings



Bathroom Accessories



Railing Systems



Digital Solutions

Hardware Products | Glass Fittings | Furniture Fittings | Bathroom Accessories | Handrail & Baluster Systems


KICH[®]
STEEL... FOR LIFE



Helping You Build **Clean Rooms** With Our Safe & Hygienic Architectural Hardware Products



Mortice & Pull Handle



Hinge Hinge Plate



Mortice Lock Body



Mortice Lock Body Escutcheons



Pin Cylinder



Door Closer



Concealed Handles



Shaft Dead Lock



Push & Kick Plate



Door Stops Flush Bolt



Accredited by:



+91 93760 13638
anil@kichindia.com
www.kichindia.com


HARDWARE PRODUCTS | GLASS FITTINGS | FURNITURE FITTINGS | BATHROOM ACCESSORIES | RAILING SYSTEM | DIGITAL SOLUTION

Let's Explore the Products...


Clean Room Door Accessories...

- **Mortice Handle**
- **D Type Pull Handle**
- **F Type Handle**
- **H Type Handle**
- **Mortice Lockbody**
- **Mortice Deadbolt**
- **Pin Cylinders**
- **Escutcheons**
- **Door Closer**
- **Hinge**
- **Hinge Reinforcement Plate**
- **Flush Bolt**
- **Concealed Handle**
- **Shaft Deadbolt**
- **Door Stopper**
- **Push Plate**
- **Sign Plate**
- **Door Kick Plate**

Lever Handle



TOP VIEW




FRONT VIEW

Brand	KICH PR : Fire Rated
Type	D Type Lever Handle
Code	PRLH193S & PRLH223S
Material	SS 304
Size	Ø19mm & Ø22mm
Finish	Satin, Glossy, Powder Coating & PVD Coating
Material Thickness	1.2mm & 1mm
Test Standard	BS 476-20 IS 3614 Part 2 BS EN 1634-1
Product Life Cycle Test	Up to 1,00,000 cycle test Accordance to BESN-1906

Disclaimer: All sizes in the drawings are for reference only. Actual size may vary.


Pull Handle



Brand	KICH PR : Fire Rated
Type	D Type Pull Handle
Code	PRDH
Material	SS 304
Size	Ø19mm - C to C (150, 200, 250, 300mm) Ø22mm - C to C (200, 250, 300mm) Ø25mm - C to C (300, 450, 600mm) Ø32mm - C to C (600 & 900mm)
Finish	Satin, Glossy, Various Finish
Material Thickness	1.2 mm
Test Standard	BS 476-20 IS 3614 Part 2 BS EN 1634-1

Disclaimer: All sizes in the drawings are for reference only. Actual size may vary.

H TypePull Handle



Brand	KICH PR : Fire Rated
Type	H Type Pull Handle
Code	PRDHH
Material	SS 304
Size	Ø22mm - C to C (200, 250, 300mm) Ø25mm - C to C (300, 450, 600mm) Ø32mm - C to C (450, 600mm) Ø38mm - C to C (1000, 1200, 1500mm)
Finish	Satin, Glossy, Various Finish
Material Thickness	1.2mm
Test Standard	BS 476-20 IS 3614 Part 2 BS EN 1634-1

Disclaimer: All sizes in the drawings are for reference only. Actual size may vary.


Grab Rails



Brand	KICH PR
Type	Grab Rail
Code	PRGR
Material	SS 304
Size	Ø22mm - C to C (200, 250, 300mm) Ø25mm - C to C (300mm)
Finish	Satin Finish
Material Thickness	1.2 mm
Test Standard	BS 476-20 IS 3614 Part 2 BS EN 1634-1

Disclaimer: All sizes in the drawings are for reference only. Actual size may vary.


F Type Handle



Brand	KICH
Type	F Type Handle
Code	PHFFH19S-M6
Material	SS 316
Size	Ø19mm x 100(c/c) x 240mm
Finish	Satin, Glossy
Material Thickness	1.2 mm
Test Standard	BS 476-20 IS 3614 Part 2 BS EN 1634-1

Disclaimer: All sizes in the drawings are for reference only. Actual size may vary.


Mortice Lockbody



Brand	KICH PR : Fire Rated
Type	Mortice Lockbody
Code	PRMLB92S
Material	Bolt - Zinc, Strike & Main Plate - SS & Outer Body - MS
Size	50mm X 85mm Backset Lockbody Height - 9" Double throw dead bolt
Finish	Satin
Test Standard	BS 476-20 IS 3614 Part 2 BS EN 1634-1

Disclaimer: All sizes in the drawings are for reference only. Actual size may vary.


Mortice Lockbody



Brand	KICH
Type	Mortice High Security Lock Body
Code	MLB59S
Material	Bolt - Zinc, Strike & Main Plate - SS & Outer Body - MS
Size	50mm X 85mm Backset Lockbody Height - 9" Double throw dead bolt
Finish	Satin
Test Standard	BS 476-20 IS 3614 Part 2 BS EN 1634-1

Disclaimer: All sizes in the drawings are for reference only. Actual size may vary.



Mortice Lockbody



Brand	KICH
Type	Mortice High Security Lock Body
Code	MLB529S
Material	Bolt - Zinc, Strike & Main Plate - SS & Outer Body - MS
Size	60mm X 85mm Backset Lockbody Height - 9" Double throw dead bolt
Finish	Satin
Test Standard	BS 476-20 IS 3614 Part 2 BS EN 1634-1

Disclaimer: All sizes in the drawings are for reference only. Actual size may vary.


Mortice Deadbolt - With Close Body



Brand	KICH PR : Fire Rated
Type	Mortice Dead Bolt with Double Shifter
Code	PRMDB1S
Material	Bolt - Brass, Strike & Main Plate - SS & Outer Body - MS
Tech. Specifications	50mm Backset 160mm main and strike Plate Deadbolt Close Body with 108 mm height
Finish	Satin
Test Standard	BS 476-20 IS 3614 Part 2 BS EN 1634-1

Disclaimer: All sizes in the drawings are for reference only. Actual size may vary.


Mortice 9" Deadbolt



Brand	KICH PR
Type	Mortice Dead Bolt with Double Shifter
Code	PRMDBS
Material	Bolt - Brass, Strike & Main Plate - SS & Outer Body - MS
Tech. Specifications	Dead Bolt 9 inch Back Set 50mm+SS Main and Strike Plate-Satin
Finish	Satin
Test Standard	BS 476-20 IS 3614 Part 2 BS EN 1634-1

Disclaimer: All sizes in the drawings are for reference only. Actual size may vary.


Mortice 9" Deadbolt



Disclaimer: All sizes in the drawings are for reference only. Actual size may vary.

Brand	KICH
Type	Mortice Dead Bolt with Double Shifter
Code	PRMDB2RS
Material	Bolt - Brass, Strike plate with radius lip & Main Plate - SS & Outer Body - MS
Tech. Specifications	Dead Bolt 9 inch Back Set 50mm+SS Main and Strike Plate-Satin
Finish	Satin
Test Standard	BS 476-20 IS 3614 Part 2 BS EN 1634-1


Mortice High Security Dead Bolt



Brand	KICH
Type	Mortice High Security Dead Bolt Code : MDB5S
Code	MDB5S
Material	Bolt - Brass, Strike & Main Plate
Tech. Specifications	Dead Bolt Back Set 55mm+SS Main and Strike Plate.
Finish	Satin
Test Standard	BS 476-20 IS 3614 Part 2 BS EN 1634-1

Disclaimer: All sizes in the drawings are for reference only. Actual size may vary.


Pin Cylinders



Brand	KICH PR : Fire Rated
Type	Both side Key
Code	PRPCBSKS
Material	Brass
Size	60mm, 70mm, 80mm, 90mm & 100mm
Finish	Satin & Various Finish
Master Key Concept	Up to 10 cylinders to 25 Cylinders
Test Standard	BS 476-20 IS 3614 Part 2 BS EN 1634-1
Product Life Cycle Test	Up To 2,00,000+ Cycle In-house Mechanism Test.

Disclaimer: All sizes in the drawings are for reference only. Actual size may vary.


Pin Cylinders



Brand	KICH PR : Fire Rated
Type	One side Key & One side Knob
Code	PRPCKNS
Material	Brass
Size	60mm, 70mm, 80mm, 90mm & 100mm
Finish	Satin & Various Finish
Master Key Concept	Up to 10 cylinders to 25 Cylinders
Test Standard	BS 476-20 IS 3614 Part 2 BS EN 1634-1
Product Life Cycle Test	Up To 2,00,000+ Cycle In-house Mechanism Test.

Disclaimer: All sizes in the drawings are for reference only. Actual size may vary.



Escutcheon



Disclaimer: All sizes in the drawings are for reference only. Actual size may vary.

Brand	KICH PR
Type	Round Escutcheons
Code	PREEP50S
Material	Stainless Steel 304 Grade
Size	Ø50mm
Finish	Satin

Kich PR Door Hinge



Brand	KICH PR : Fire Rated
Type	Door Hinge with 2 Ball Bearing
Code	PRBHT2B34S
Material	SS 304
Size	101mm x 76mm x 3mm
Finish	Satin
Certification	Kich PR Hinges pass through 2 hours fire resistance test as per BSEN 1634-1 fire safety standards.
In House Testing	Successfully in house Tested Mechanism up to 200000 cycle for longer working life.
Test Standard	BS 476-20 IS 3614 Part 2 BS EN 1634-1

Disclaimer: All sizes in the drawings are for reference only. Actual size may vary.

Hinge Reinforcement Plate



Brand	KICH
Type	Hinge Reinforcement Plate
Material	CR Electro Plated
Size	187x48x3mm
Finish	Satin

Disclaimer: All sizes in the drawings are for reference only. Actual size may vary.

Door Closer - Over Head




Note: Suitable for Door up to 900mm Width and 2100mm Heights

Disclaimer: All sizes in the drawings are for reference only. Actual size may vary.

Brand	KICH
Type	Over Head Door Closer
Code	DC511S
Material	Body : AL6063 Spring : Spring Steel Grade 3 (Heat Treated High Tensile Spring) High Quality Aluminium Extruded
Size	Up to 80KG
Finish	Silver & Gold
Product Life Cycle Test Count	Up to 3,00,000 Cycle in-house mechanism test
Test Standard	BS 476-20 IS 3614 Part 2 BS EN 1634-1

Door Closer - Over Head



Note: Suitable for Door up to 1050mm Width and 2400mm Heights

Disclaimer: All sizes in the drawings are for reference only. Actual size may vary.

Brand	KICH
Type	Over Head Door Closer - Fire Rated
Code	DC512S
Material	Body : AL6063 Spring : Spring Steel Grade 3 (Heat Treated High Tensile Spring) High Quality Aluminium Extruded
Size	Up to 90KG
Finish	Silver, Gold, Black, SS & Antique
Product Life Cycle Test Count	Up to 3,00,000 Cycle in-house mechanism test
Test Standard	BS 476-20 IS 3614 Part 2 BS EN 1634-1

Door Closer - Hold Open




Note: Suitable for Door up to 1050mm Width and 2400mm Heights

Disclaimer: All sizes in the drawings are for reference only. Actual size may vary.

Brand	KICH
Type	Over Head - Hold Open Door Closer
Code	DC522ATS
Material	Body : AL6063 Spring : Spring Steel Grade 3 (Heat Treated High Tensile Spring) High Quality Aluminium Extruded
Size	Up to 90KG
Finish	Silver, Gold, Black, SS & Antique
Product Life Cycle Test Count	Up to 3,00,000 Cycle in-house mechanism test
Test Standard	BS 476-20 IS 3614 Part 2 BS EN 1634-1


Flush Bolt



Brand	KICH : Fire Rated
Type	Flushbolt
Code	FB2110S & FB2124S
Material	Front Body - SS 304 Grade, Rod & Sleeve - MS with Zinc Coating
Size	270MM & 600MM
Finish	Satin
Customization	Customization available in Branding and Rod Length with bulk Quantity
Test Standard	BS 476-20 IS 3614 Part 2 BS EN 1634-1

Disclaimer: All sizes in the drawings are for reference only. Actual size may vary.


Flush/Concealed Handle - Rectangle



Brand	KICH
Type	Concealed Handle - Rectangle
Code	CH100S & CH101S
Material	SS 316
Size	100mm & 150mm
Finish	Satin
Customization	Hidden Screw specification available on Request.

Disclaimer: All sizes in the drawings are for reference only. Actual size may vary.

Flush/Concealed Handle - Oval



Brand	KICH
Type	Concealed Handle - Oval
Code	CH120S & CH121S
Material	SS 316
Size	120mm & 150mm
Finish	Satin
Customization	Hidden Screw specification available on Request.

Disclaimer: All sizes in the drawings are for reference only. Actual size may vary.


Shaft Deadbolt Lock



Brand	KICH
Type	Shaft Deabolt Lock (Allen Key with Accessories)
Code	SDBA
Material	Bolt : Brass Main Plate & Strike Plate: SS Body: MS
Size	Back Set: 54mm
Finish	Satin

Disclaimer: All sizes in the drawings are for reference only. Actual size may vary.

Door Stoper



Brand

KICH PR

Type

Door Stops

Code

PRDSTHMS

Material


SS 304 Grade, Corrosin Resistance
Premium Quality Zinc

Finish

Satin

Disclaimer: All sizes in the drawings are for reference only. Actual size may vary.

Push Plate



Brand	KICH PR
Type	Push Plate
Material	SS 304 Grade
Finish	Satin
Size	240x100x1.2MM 340x100x1.2MM
Material Thickness	1.2MM & 1.5MM
Customization	Customization available In size

Disclaimer: All sizes in the drawings are for reference only. Actual size may vary.

Door Kick Plate



Brand	KICH PR
Type	Door Kick Plate
Material	SS 304 Grade
Finish	Satin
Size	200X800X1.2mm
Material Thickness	1.2MM & 1.5MM
Customization	Customization available In size

Disclaimer: All sizes in the drawings are for reference only. Actual size may vary.

Sign Plate



Brand	KICH PR
Type	Sign Plate
Material	SS 304 Grade
Finish	Satin
Size	120X120X1.2mm & 120X120X1.5mm
Material Thickness	1.2MM & 1.5MM
Customization	Customization available in size and printing like 'Male' , 'Female' , 'Disabled' etc..

Disclaimer: All sizes in the drawings are for reference only. Actual size may vary.



Lucknow Airport



International Airport
- Jabalpur



The Amaryllis by Unity -
Delhi



Atal Bridge - Ahmedabad



IIT - Kanpur

11,000 +
**Prestigious National &
International Projects**




Pune Airport



AIIMS - Rajkot



Central Vista - Delhi



Mahatma Mandir
- Gandhinagar



Nalanda University
- Nalanda

CLICK HERE 

[Kich Prestigious Project List Links:](#)

Hardware Products | Glass Fittings | Furniture Fittings | Bathroom Accessories | Handrail & Baluster Systems

KICH
STEEL... FOR LIFE



Kartarpur Corridor -
Gurdaspur



Reliance Twin Tower -
Mumbai



Rajkot Bus Port - Rajkot



Vegas Mall - Delhi



Jolly Grant Airpot -
Dehradun

11,000 +
**Prestigious National &
International Projects**



Pandit Deendayal Petroleum
University - Gandhinagar



Marlin 5th Avenue -
Kolkata



Pragati Maidan - Delhi



Good Shepherd International
School - Ooty



Aaditri Exotica - Guntur

CLICK HERE 

[Kich Prestigious Project List Links:](#)

Hardware Products | Glass Fittings | Furniture Fittings | Bathroom Accessories | Handrail & Baluster Systems

KICH
STEEL... FOR LIFE



Airforce Officers' Mess
(Ambala)



Vadodara International Airport
(Gujarat)



High Court
(Lucknow)



Parliament House
(New Delhi)



ESIC Hospital
(Chennai)

11,000 +
**Prestigious National &
International Projects**



Zydus Hospital
(Ahmedabad)



L&T Crescent bay
(Mumbai)



Hotel JW Marriot
(Kolkata)



General Motors
(Delhi)



HCL
(Chennai)

[CLICK HERE](#)

[Kich Prestigious Project List Links:](#)

Hardware Products | Glass Fittings | Furniture Fittings | Bathroom Accessories | Handrail & Baluster Systems

KICH[®]
STEEL... FOR LIFE



Kiran Hospital
(Surat)



Acropolis Mall
(Kolkata)



Mahatma Mandir
(Gandhinagar)



Emerald Garden
(Kanpur)



Silver Heights
(Rajkot)

11,000 +
Prestigious National &
International Projects



Tata Consultancy Services
(Trivandrum)



Golden Temple
(Amritsar)



Ranchi International
Cricket Stadium (Jharkhand)



NIELIT
(New Delhi)



IIM
(Udaipur)

[CLICK HERE](#)

[Kich Prestigious Project List Links:](#)

Hardware Products | Glass Fittings | Furniture Fittings | Bathroom Accessories | Handrail & Baluster Systems

KICH[®]
STEEL... FOR LIFE

Few of our Overseas Prestigious Projects



**BAPS Hindu Mandir
(Abu Dhabi - UAE)**



**BAPS Akshardham
Robbinsville (USA)**



**Customs House
(Mauritius)**



**Naguru Skyz
(Uganda)**



**Dar-es-salaam International
Airport (Tanzania)**



**Seychelles International
Airport (Seychelles)**

[CLICK HERE](#) 

[Kich Prestigious Project List Links:](#)

Hardware Products | Glass Fittings | Furniture Fittings | Bathroom Accessories | Handrail & Baluster Systems

KICH[®]
STEEL... FOR LIFE

Thank You