
MAKE
your
TURN
DEVON
cyclux
Product Catalogue

Live
The Extraordinary
Future

Human ambitions are limitless, day by day speeding up to a new progress. So, why put a brake when you are riding against every hurdle?

With that belief, Cyclux range is here to gear your ambitions and lead you to your desired destination as success is not a matter of a single pedal swing, you must keep pedaling up to attain it.

STING 29T

Model No.: 29 021 SG

COLORS



Matt Neon Green
/ Dark Green



Matt Fluro Orange
/ Grey



48 Cm
[19]

Suspension
Threadless

Double Wall
Alloy Rim
With 29 x 2.40
Nylon Tyres

PU Cushion
With QR

Double
Disc
Brake

Bulged 31.75mm
Short Bend
With Alloy Stem


21 Speed Shimano
Gear System With
Rapid Fire Shifter

Also Available In Threadless Suspension Fork With Mech. Lockout | SS | 27.5T

SPIRIT 29T

Model No.: 29 006 ST

COLORS





Alloy Frame 46 cm (18) With Internal Cable Routing

Suspension Threadless

54-559 (29 X 2.10), D/Wall Alloy Rim With Nylon Tyres

PU Cushion With QR

Double Disc Brake

Bulged 31.75mm Short Bend With Alloy Stem

24 & 21 Speed Shimano Gear System With Rapid Fire Shifters


Also Available in Suspension Fork with Mech. Lockout | 26T & 27.5T

HOPE 29T

Model No.: 29 008 HP



COLORS



Matt Black / Fluoro Green

Matt Black / Fluoro Red

Fluoro Red / Black

Alloy Frame 46 cm (18) With Internal Cable Routing

Suspension Threadless

54-622 (29x2.10), D/Wall Alloy Rim With Nylon Tyres

PU Cushion With QR

Double Disc Brake

Bulged 31.75mm Short Bend With Alloy Stem

21 Speed, L-Two/ Shimano Gear System with Rapid Fire Shifters

Also Available in Suspension Fork with Mech. Lockout | 26 & 27.5T

CHROME 27.5T

Model No.: 27.5T 020 CM

COLORS



Black /
Fluoro Green



Black /
Fluoro Orange



Alloy Frame 43 cm (17)
With Internal Cable
Routing



Suspension
Threadless



55-584 (27.5x2.10),
D/Wall Alloy
Rim With
Nylon Tyres



PU Cushion
With QR



Double
Disc Brake



Bulged 31.75mm
Short Bend
With Alloy Stem



21 Speed, L-Two/
Shimano Gear System
with Rapid Fire Shifters



Also Available in Suspension Fork with Mech. Lockout | 26T & 29T

ESTATE 27.5T

Model No.: 27.5 011 ET

COLORS



Matt Fluoro Red/
Dark Grey Two Tone



Matt Black/
Cool Grey Two Tone



Alloy Frame 45 cm
(17.7) With Internal
Cable Routing

Lock Out
Threadless
Suspension

54-559 (26x2.10),
D/Wall Alloy
Rim With
Nylon Tyres

PU Cushion
With QR

Double
Disc Brake

Bulged
31.75mm
Short Bend
With Alloy Stem

21 Speed Shimano
Gear System With
Rapid Fire Shifter


Also Available in Suspension Fork | 26T

ESSENCE 27.5T

Model No.: 27.5T 021 EC



COLORS



Matt Black / Fluro Red

Fluoro Red/ Grey

Matt Grey/ Fluro Orange

Alloy Frame 43 cm (17) With Internal Cable Routing

Suspension Threadless

54-559 (26 x 2.10), D/Wall Alloy Rim With Nylon Tyres

PU Cushion With QR

Double Disc Brake

Bulged 31.75mm Short Bend With Alloy Stem

21 Speed Shimano Gear System With Rapid Fire Shifter

Also Available In Suspension Fork With Mech. Lockout | 26T & 29T

SKILLER 26T

Model No.: 26T 265 SR

COLORS



Matt Grey/
Fluoro Orange



Matt Black/
Neon Green



Alloy Frame 38.1 cm
(15) With Internal
Cable Routing



Lock Out
Threadless
Suspension



54-559 (26x2.10),
D/Wall Alloy
Rim With
Nylon Tyres



PU Cushion
With QR



Double
Disc Brake



Bulged 31.75mm
Short Bend
With Alloy Stem

21 Speed Shimano
Gear System With
Rapid Fire Shifter




Also Available in Suspension Fork | 29T

NATIVE 26T

Model No.: 26T 267 NV

COLORS





Alloy Frame 40.6cm
[16] With Internal
Cable Routing

Lock Out
Threadless
Suspension

54-559 [26x2.10],
D/Wall Alloy
Rim With
Nylon Tyres

PU Cushion
With QR

Double
Disc Brake

Bulged 31.75mm
Short Bend
With Alloy Stem


21 Speed Shimano
Gear System With
Rapid Fire Shifter

Also Available in Suspension Fork | 27.5T

DEVON 26T

Model No.: 26 252 DN

COLORS





Alloy Frame 46 cm (18) With Internal Cable Routing

Lock Out Threadless Suspension

62-559 (26 x 2.40), D/Wall Alloy Rim With Nylon Tyres

PU Cushion With QR

Double Disc Brake

Bulged 31.75mm Short Bend With Alloy Stem

21 Speed Shimano Gear System With Rapid Fire Shifter

Also Available in Suspension Fork


INDIO 26T

Model No.: 26 251 I0

COLORS


Matt Black/
Orange


Matt Dark Grey/
Neon Green


Matt Black/
Neon Green



Alloy Frame 46 cm
(18) With Internal
Cable Routing

Suspension
Threadless

60-559 (26 x 2.35),
D/Wall Alloy
Rim With
Nylon Tyres

PU Cushion
With QR

Double
Disc Brake

Bulged 31.75mm
Short Bend
With Alloy Stem

21 Speed Shimano
Gear System With
Rapid Fire Shifter

Also Available In Suspension Fork With Mech. Lockout

JUST 26T

Model No.: 26T 247 JT

COLORS



Neon Green/
Blue



Matt Black/
Grey



Alloy Frame 43 cm
(17) With Internal
Cable Routing

Suspension
Threadless

54-559
(26 x 2.10),
D/Wall Alloy
Rim With Nylon Tyres

PU Cushion
With QR

Double
Disc Brake

Bulged 31.75mm
Short Bend
With Alloy Stem

21 Speed Shimano
Gear System With
Rapid Fire Shifter

Also Available In Suspension Fork With Mech. Lockout | 27.5T & 29T

RALLY 26T

Model No.: 26T 248 RL

COLORS



Matt Black / Neon Green

Fluoro Green / Black



Alloy Frame 43 cm (17) With Internal Cable Routing

Suspension Threadless

54-559 (26 x 2.10), D/Wall Alloy Rim With Nylon Tyres

PU Cushion With QR

Double Disc Brake

Bulged 31.75mm Short Bend With Alloy Stem

21 Speed Shimano Gear System With Rapid Fire Shifter

Also Available In Suspension Fork With Mech. Lockout | 29T

GEO 26T

Model No.: 26T 249 GO

COLORS



Matt Dark Grey /
Fluoro Red



Matt Cool Grey /
Fluoro Orange



Alloy Frame
38cm (15)

Suspension
Threadless

(26 x 2.10),
D/Wall Alloy
Rim With
Nylon Tyres

PU Cushion
With QR

Double
Disc Brake

Bulged 31.75mm
Short Bend
With Alloy Stem


21 Speed, Shimano
Gear System with
Rapid Fire Shifters

Also Available in Suspension Fork with Mech. Lockout


ACERRO 700C

Model No.: 28 250 A0

COLORS


Dark Grey /
Fluoro Green


Matt Grey /
Fluoro Orange


Matt Red /
Fluoro Orange



Alloy Frame 47 cm
(18.5) With Internal
Cable Routing

Threadless
Rigid (Steel)

37-622 (700x35C),
D/Wall Alloy
Rim With
Nylon Tyres

PU Cushion
With QR

Double
Disc Brake

Bulged 31.75mm
Straight

21 Speed, Shimano
Gear System with
Rapid Fire Shifters

CREW 700C

Model No.: 28 057 CW

COLORS



Matt Military Green / Dark Purple



Matt Dark Grey / Yellow



51cm (20) 700x35C With Internal Cable Routing

Threadless Rigid (Steel)

37-622 (700x35C), D/Wall Alloy Rim with Nylon Tyres

PU Cushion With QR


Double Disc Brake

Bulged 31.75 Short Bend With Alloy Stem

SAGE 29T

Model No.: 29 024 SG

COLORS



Matt Peacock Blue / Neon Green

Matt Dark Grey / Star Black

Luster Red / Star Black



Hi-Tensile Steel Frame
47 Cm (18.5) With Internal Cable Routing

Suspension Threadless

Double Wall Alloy Rim With 27.5 x 2.10 Nylon Tyres

PU Cushion With QR

Double Disc Brake

Bulged 31.75mm Short Bend With Alloy Stem


21 Speed Shimano Gear System With Rapid Fire Shifter

Also Available In Threadless Suspension Fork With Mech. Lockout | 27.5T

RAMM 27.5T

Model No.: 27.5 039 RM

COLORS





Hi-Tensile Steel Frame
45.6 Cm (18) With Internal
Cable Routing

Suspension
Threadless

Double Wall Alloy
Rim With
27.5 x 2.40
Nylon Tyres

PU Cushion
With QR

Double
Disc Brake

Bulged 31.75mm
Short Bend
With Alloy Stem


21 Speed Shimano
Gear System With
Rapid Fire Shifter

Also Available In Threadless Suspension Fork With Mech. Lockout | SS | 29T

EURO 27.5T

Model No.: 27.5 033 ER

COLORS





Hi-Tensile Steel Frame
45.6 Cm (18)
With Internal
Cable Routing

Suspension
Threadless

Double Wall Alloy
Rim With
27.5 x 2.40
Nylon Tyres

PU Cushion
With QR

Double
Disc Brake

Bulged 31.75mm
Short Bend
With Alloy Stem


21 Speed Shimano
Gear System With
Rapid Fire Shifter

Also Available In Threadless Suspension Fork With Mech. Lockout | SS

ATTAIN 27.5T

Model No.: 27.5 032 AN

COLORS





Hi Tensile Steel Frame
43.2 cm (17) With Internal
Cable Routing

Suspension
Threadless

(27.5 x 2.35),
D/Wall Alloy
Rim With
Nylon Tyres

PU Cushion
With QR

Double
Disc Brake

Bulged 31.75mm
Short Bend
With Alloy Stem

21 Speed, Shimano
gear System with
Rapid Fire Shifters


Also Available in Single Speed | Suspension Fork with Mech. Lockout | 26T

ORB EC 26T

Model No.: 26 126 ORB



COLORS



Matt Green / Black

Matt Dark Grey / Fluoro Neon Green

Milky White / Black

Hi Tensile Steel Frame 46 cm (18)

Rigid Steel

52-559 (26x1.95), S/Wall Alloy Rim With Nylon Tyres

PU Cushion With QR

Raised

Front & Rear 'Vee'

Also Available In 27.5T

YUMI 26T

Model No.: 26 144 YM



COLORS



Radish Pink / White



Milky White / Pink



Hi Tensile Steel Frame 36 Cm (14)



Suspension Threadless




54 - 559 (26 x 2.10), D. Wall Alloy Rim With Nylon Tyres



PU Cushion With QR



Double Disc Brake




Bulged 31.75mm Short Bend With Alloy Stem

KWIK 20T

Model No.: 20 118 KK

COLORS



Matt Army Green / Neon Green



Matt Grey / Yellow



Matt Grey / Fluro Orange



Also Available in Front Disc & Rear Vee Brake | 16T With Front & Rear Vee Brake

20.7 Cm (10½) Steel Hardtail With Water Decal



Rigid BMX Steel



60-406 [20X2.40] With Steel Rim



PU Cushion With QR



Handle Short Bend



Front & Rear Vee Brake & FDRV

ALTON 20T


Model No.: 20 110 AN *With Magnesium Frame



COLORS



Neon Green / Blue



Matt Black / Fluoro Green

Magnesium Frame 23.5 cm (9¼)

Suspension Threadless

74-406 (20 x 2.125), Single Wall Alloy Rim

PU Cushion With QR

Double Disc Brake

Bulged 31.75mm Short Bend

07 Speed, Shimano Gear System with Rapid Fire Shifters


REX 12T

Model No.: 12T 015 RX Balanced Bike With Parents Assist Push Bar


COLORS



Peacock Blue / Fluoro Orange



Matt Grey / Fluoro Orange



Light Blue / Fluoro Orange



Hi Tensile Steel Frame 17 cm (7)



Rigid Steel



47-203 (12x2.125), Steel Rim with Tyre/Tube




PU Cushion with Handle

Straight with inbuild Stem




Also Available Without Push Bar

Your Inside Leg (A)



51.0 - 58.5 cm
58.5 - 73.5 cm
61.0 - 76.0 cm
66.0 - 81.0 cm
73.5 - 89.0 cm
76.0 - 91.0 cm
79.0 - 94.0 cm
84.0 - 99.0 cm

The Frame Size Needed (B)



30.5 cm
38.0 cm
40.5 cm
45.5 cm
51.0 cm
53.0 cm
56.0 cm
61.0 cm

Measuring for your New Bike

Technical Abbreviations
PU – Polyurethane
QR – Quick Release

1. *To ride bike comfortably, you should be able to keep your foot on the pedal through out its rotation, most handle bars & saddles are adjustable but it is still important to pick right frame size.*
2. *Check your inside leg length measurements against the chart to see which frame size is right for you.*

CYCLUX

SCAN NOW FOR MORE DETAILS

JULY 2023

Avon Cycles Limited, G.T.Road, Ludhiana - 141003 (India) | Ph.: 0161-4684800 (100 Lines)
E-mail: avon@avoncycles.com | www.avoncycles.com | CIN: U35921PB1951PLC001699

Design & accessories configuration subject to change with or without prior notice. The accessories shown with the bicycle may or may not be part of standard equipment. Actual colour may vary from the display products in catalog.